

Designated Building Product: Class 1

Version 1.0 November 2024

Declaration

Belgotex New Zealand has provided this declaration to satisfy the provisions of Building (Building Product Information Requirements) Regulations 2022. See [regulations](#).

Company Details

Name	Belgotex New Zealand Limited
Role	Supplier
NZBN	9429038353000
Address	25 Leslie Hills Drive, Riccarton, Christchurch 8011
Website	www.belgotex.co.nz
Email	product@belgotex.co.nz
Phone	0800-377-753

Product

Laminate Flooring as specified in our [range statement](#).

Description of Laminate Flooring

Laminate flooring refers to a direct pressure laminate composed of a high-density fibreboard (HDF) core. This core is overlaid with a décor layer made from printed paper impregnated with melamine resin, topped with a melamine-impregnated cellulose protective wear layer. The backing layer consists of melamine-impregnated recycled paper.

Belgotex (NZ) Ltd supplied Laminate Flooring is a floating floor covering installed without adhesives and has a watertight click system.

When installed, Belgotex (NZ) Ltd laminates may contribute to G6 (airborne & impact sound) or H1 (energy efficiency) of the building.

Laminate flooring is supplied in plank format and sold by the square metre.

Building Code Obligations

When installed Belgotex Laminate meets the requirements of the Building Code clauses detailed below.

Code Clauses	Compliance Pathway	Evidence
B2 (Durability) B2.3.1(c)	Alternative Solution	Laminate flooring is manufactured in accordance with EN 13329.
C3 (Fire Affecting areas beyond the fire source) C3.4(b)	Acceptable Solution	Finfloor and Purefloor 8 Laminate flooring has been tested in accordance with ISO 9239-1; EN 13501-1:2010. Belgotex Finsa Laminate flooring achieves a Bfl-s1 result.
D1 (Access Routes) D1.3.3 (d)	Acceptable Solution	Finfloor and Purefloor 8 Laminate Flooring is tested according to EN 13893 which is found within EN 14041:2017 and is rated to DS.

Belgotex NZ LAMINATE FLOORING BPIR Declaration

E3 (Internal Moisture) E3.3.3 E3.3.5	Alternative Solution	Finfloor and Purefloor 8 Laminate flooring achieves the requirements when tested according to ISO4760:2022 and are suitable within 1.5m of a sanitary fixture or appliance, when installed according to installation instructions.
F2 (Hazardous building materials) F2.3.1	Verification Method	Finfloor and Purefloor 8 Laminate Flooring is tested to Emissions Dans L'Air Interieur A+ standards, or EU Ecolabel.
G3 (Food preparation and prevention of contamination) G3.3.2 (a) G3.3.2 (b)	Verification Method	Finfloor and Purefloor 8 laminate is impervious and easy to clean surface.

Scope of use and Limitations

Scope	Limitation
For all building classified uses.	<ul style="list-style-type: none"> • Laminate flooring is for interior use only. • Recommended underlay must be used. • The substrate must have a relative humidity of 75% or below. • Must be laid in accordance with FloorNZ’s best practice guidelines unless the manufacturer’s installation guidelines exceed local standard practice. • Finfloor Original and Purefloor 8 require application of joint sealer within 1.5 metres from sanitary appliances and outlets. • When installed in wet areas the flooring must be edge sealed as detailed in Belgotex NZs installation guidelines. • Designed to be floated and not direct stuck, except in relation to staircases where flooring must be direct stuck.
For use as a flooring in an access route.	Belgotex Laminate flooring is suitable for use in an access route.
In connection with underfloor heating including in-slab piped water heating.	Belgotex Laminate flooring is suitable for use with underfloor heating not exceeding 27°C.

Conditions of use

Belgotex Laminate must be installed according to the manufacturers installation guidelines and maintained according to Belgotex New Zealand’s Care & Maintenance guidelines available at www.belgotex.co.nz.

Additional Information

For all specification, installation, maintenance and warranty information and all information supporting Belgotex New Zealand’s claims refer to www.belgotex.co.nz

No Belgotex Laminates are subject to a ban issued under [Section 26 of the Building Act](#).

Responsible Person

Belgotex NZ LAMINATE FLOORING BPIR Declaration

In accordance with Regulation 8, as the responsible person. I confirm that the information supplied in this declaration is based on information supplied to the company as well as the company's own processes and is therefore, to the best of my knowledge, correct.

Signed for and on behalf of Belgotex New Zealand Limited

Jeremy Parish

Managing Director

11/07/2024