

Designated Building Product: Class 1

### Version 1.0 December 2023

#### Declaration

Belgotex New Zealand has provided this declaration to satisfy the provisions of Building (Building Product Information Requirements) Regulations 2022. See [regulations](#).

#### Company Details

<b>Name</b>	Belgotex New Zealand Limited
<b>Role</b>	Supplier
<b>NZBN</b>	9429038353000
<b>Address</b>	25 Leslie Hills Drive, Riccarton, Christchurch 8011
<b>Website</b>	<a href="http://www.belgotex.co.nz">www.belgotex.co.nz</a>
<b>Email</b>	<a href="mailto:product@belgotex.co.nz">product@belgotex.co.nz</a>
<b>Phone</b>	0800-377-753

#### Product(s)

Hybrid Floor coverings as per our current [range statement](#).

#### Description of Hybrid Flooring

The term Hybrid Flooring is taken to mean a direct pressure laminated product containing a high-density composite (HDF) core which is then coated with a vinyl print layer and wear layer.

Belgotex (NZ) Ltd supplies hybrid flooring in interlocking plank format with wood designs intended to be installed as a floating floor covering.

When installed Belgotex (NZ) Ltd hybrid flooring may contribute to G6 (airborne & impact sound) or H1 (energy efficiency) of the building.

Hybrid flooring is supplied in plank format by the square metre.

#### Building Code Obligations

When installed Belgotex Hybrid Flooring meet the requirements under the building code as detailed below.

Code Clauses	Compliance Pathway	Evidence
B2 (Durability) B2.3.1(c)	Alternative Solution	Hybrid flooring is manufactured in accordance with ISO9001:2015 or EN 14041 CE Mark, under EN 1307. B2/VM1 1.1.1 In-service history, Belgotex NZ have supplied Hybrid LVT in New Zealand more than 15years with a product exceeding a service life of a minimum 5 years satisfying the performance requirements of the Building Code as a floor covering is easy to access and replace, and failure of the product would be easily detected during normal use of the product
C3 (Fire Affecting areas beyond the fire source)	Acceptable Solution	All products covered by this statement have been tested in accordance with ISO9239-1:2010.

C3.4(b)		
D1 (Access Routes) D1.3.3 (d)	Acceptable Solution	All Belgotex Homogeneous sheet vinyl covered by this statement are slip rated for access routes against one or more of the following international standards. DIN 51130:2014, EN 13893.
E3 (Internal Moisture) E3.3.3 E3.3.5	Alternative Solution	All Belgotex supplied Luxury Vinyl Tiles achieve the requirements when tested to ISO4760:2022.
F2 (Hazardous building materials) F2.3.1	Verification Method	The products covered by this statement are Floorscore Certified.
G3 (Food preparation and prevention of contamination) G3.3.2 (a) G3.3.2 (b)	Verification Method	Belgotex Hybrid flooring is impervious and easily cleaned. Hybrid flooring is free from hazardous materials.

Individual team reports available at [www.belgotex.co.nz](http://www.belgotex.co.nz)

### Scope of use and Limitations

Scope	Limitation
For all building classified uses.	<ul style="list-style-type: none"> <li>Hybrid flooring is for interior use only.</li> <li>The substrate must have a relative humidity of 75% or below.</li> <li>Must be laid in accordance with FloorNZ's best practice guidelines.</li> <li>Must be laid by a qualified tradesperson.</li> <li>When installed in wet areas the flooring must be edge sealed as detailed in Belgotex NZs installation guidelines.</li> </ul>
For use as a flooring in an access route.	Belgotex hybrid flooring is suitable for use in an access route.
In connection with underfloor heating including in-slab piped water heating.	Belgotex hybrid flooring is suitable for use with underfloor heating not exceeding 27°C.

### Conditions of use

Belgotex Hybrid Flooring must be installed according to the manufacturers installation guidelines and maintained according to Belgotex New Zealand's Care & Maintenance guidelines available at [www.belgotex.co.nz](http://www.belgotex.co.nz).

### Additional Information

For all specification, installation, maintenance and warranty information and all information supporting Belgotex New Zealand's claims refer to [www.belgotex.co.nz](http://www.belgotex.co.nz)

No Belgotex Hybrid Flooring are subject to a ban issued under [Section 26 of the Building Act](#).

# Belgotex<sup>®</sup>

## Belgotex NZ HYBRID FLOATING FLOOR BPIR Declaration



### Responsible Person

In accordance with Regulation 8, as the responsible person. I confirm that the information supplied in this declaration is based on information supplied to the company as well as the company's own processes and is therefore, to the best of my knowledge, correct.

Signed for and on behalf of Belgotex New Zealand Limited

*Jeremy Parish*

Managing Director

11/07/2024