
Belgotex[®]

CARE AND MAINTENANCE

SOLIDO ELITE WR



A World of Choice

SOLIDO ELITE WR

Congratulations on purchasing you European made Solido Elite WR flooring. It is important to care for your new flooring and this is easy, Solido Elite WR is low maintenance allowing you many years of enjoyment from your new floor.

Your new flooring has specially impregnated grooves and a hydroscopic coating to protect the timber planking and uses the glueless Megaloc[®] aqua protect assembly system that ensures a watertight seal between the planks.

Solido Elite WR has been independently tested against ISO4760:2022 required by Standards New Zealand and is also NAFLA certified internationally for resistance to water.

INSTALLATION

Installation must be undertaken by a suitably qualified flooring professional as per the manufacturer's instructions included with your product.

POST INSTALLATION

Once the installation of your new laminate is complete, sweep your flooring down with a soft broom to remove any coarse dirt. Follow this cleaning the surface using a damp cloth or soft mop with a neutral cleaning agent complying with the manufacture's recommendations.

PREVENTATIVE MEASURES

85% of dirt is bought into your building on shoes. The dirt ingress by shoes and wear caused by sand and other abrasive particles that can damage the appearance of your flooring can be prevented by placing door mats or carpets at building entrances.

REGULAR CLEANING

To clean sweep up any coarse dirt, dust and other dry particles using a dry soft broom and/or a vacuumcleaner with a hard floor attachment as required. Dirt particles which adhere to the flooring should be cleaned using a floor wipe or wrung-out mop.

SPOT CLEANING

Any accidental spills of potentially staining substances must be cleaned off immediately, using a floor wipe, and cleaned using a soft sponge. Substances include but are not limited to:

- Acetone
- Cooking Spices
- Lipstick
- Nail Polish

- Shoe Polish
- Solvents
 Tar

BELGOTEX.CO.NZ

GENERAL INSTRUCTIONS

- Areas in contact with furniture should be protected by using pressure absorbing underlays or furniture sliders to prevent surface damage.
- Chemicals of all kinds such as solvents, medicinal drugs, disinfection agents, hair dye, tea, fats, pencil, or marker ink can permanently stain your flooring.
- Avoid direct contact to the flooring of products manufactured using dyed rubber, such as dirt absorbing rubber mats, caps on furniture, dyed rubber furniture feet as they can stain your flooring.
- Avoid direct contact to the flooring of products manufactured using terracotta, such as plant pots.
- Avoid direct contact to the flooring with hot materials, such as cigarette ash, hot oils, radiant and fan heaters.
- Do not mix cleaning products, they may not be compatible.
- Clean your flooring product using clean equipment.
- Remove excess and water spills immediately to prevent slips and falls.
- Do not use heat or steam mops on your flooring.
- Do not drag furniture or heavy objects across the surface of your flooring.

CLEANING FREQUENCY

All flooring is subject to natural wear in accordance with it's use, regular cleaning and using approved cleaning products will keep your flooring looking and performing at it's best for longer. For flooring in low use areas, such as living rooms clean every 2-3 weeks or as required. For cleaning in moderate use areas, such as entrance and hallways clean every two weeks or as required. Heavy use areas, such as commercial installation clean weekly or as required.



Contact Us:

P. 0800 377 753

F. 0800 377 754

W. belgotex.co.nz





© Belgotex NZ. All rights reserved. No part of this publication may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the publisher.

