

Balsan Carpets with approved EPD



(with Econyl fibre, Bitumen backing and < 1400 g/m2 pile weight) - Green Building Summary Sheet

Product Name	Balsan Carpet with Econyl fibre, Bitumen backing and < 1400 g/m2 pile weight and approved EPD.
Document Type	Green Building Rating Compatibility Analysis
Document Code	ES-GSNZ-19-94b
Client	Belgotex New Zealand

The above-nominated Balsan carpet products with Econyl yarn are distributed by Belgotex New Zealand. Balsan carpets econyl fibre is manufactured in the Aquafil plant in Slovenia. The plant in Arthon, France, specialises in the manufacture of econyl broadloom carpet, while the plant in Neuvy-Saint-Sépulchre, France, specialises in the manufacture of econyl carpet tiles. Balsan offers a wide range of patterns, textures, and sizes of carpet tiles and broadloom. The nominated product(s) are manufactured in ISO14001 certified manufacturing plants, have been tested and certified to various low VOC schemes, and hold a published Environmental Product Declaration (EPD) which has been submitted on the basis of "worst case scenario" in terms of a pile weight of 1400 g/m2. Please refer to individual product datasheets to confirm that the product has a pile weight < 1400 g/m2, uses Econyl and includes a bitumen backing (in which case the product is covered within the scope of the EPD)



	Green Star Design & As Built NZ (V1)	Credit 13	1 point	
		Credit 20	1 point	
		Credit 21	Sustainability Factor (SF) = 0.75	
	Green Star	Credit 12	2 points	
*	Green Star Interiors NZ (V1)	Credit 20	1 point	
greenstar	Intendistriz (VI)	Credit 21	Sustainability Factor (SF) = 0.75	
gieeristai	Green Star Performance NZ			
	(V1)	Credit 21	1 point	
	(* 1)			
	Green Star NZ (V3) Office / Industrial / Interiors	MAT 3	Criteria A - 1 point & Criteria B – 1.5 points	
	`+ Education V3.1	MAT 4	1 point	
	Homestar V4	MAT-1	1.5 points	
🛟 homestar		MAT-2	1 point	
nomestal	Homestar	MAT-1	0.75 merits	
	(V2 and V3)	MAT-2	0.75 points	
INTERNATIONAL	WELL Building Standard®			
WELL	VELL Building Standard® V1	Feature 04	Complies	
BUILDING INSTITUTE TM	• •			
	WELL Building Standard®			
	V2	Feature X11	Complies	



Manner in which the product may contribute towards points					
Products must meet specific criteria (e.g. Paint VOC emissions, carpets, etc)	✓				
Products may help achieve points by their very nature, if they are specified and installed (e.g. bicycle racks)	•				
Products may help achieve an outcome but they must be used in a specific manner (e.g. lighting control and zoning systems) OR The nominated product(s) can contribute towards the outcome but many other products or factor influence that same outcome (E.g. Potable Water Calculator)	0				

Disclaimer - Please read this carefully

Each Building Environmental Rating Tool and Scheme nominated herein is owned and operated by its respective operative organisation, independently of EnviroSpec Ltd., and EnviroSpec Ltd. equally operates independently of any nominated rating scheme. The information represented on EnviroSpec is not endorsed by any of these organisations in a direct manner and any decision regarding final approval or refusal of points and certifications where the nominated product(s) is used is at the final discretion of the respective owners and operators of the nominated Building Environmental Rating Schemes, and any network of assessors or auditors that are accredited to operate under their assessment structure, in accordance with all associated technical manuals, rules and guidelines. For detailed technical information about each Building Environmental Rating Scheme and product related criteria please refer to the appropriate technical manuals. EnviroSpec does not accept liability for any loss or damages resulting from the use of this document and emphasizes that this document is provided as guidance only. Use of, or reliance upon, any information contained in this report is valid for the Building Environmental Rating Schemes and Tools nominated herein only. As and when the respective owners and operators publish updates or new standards or guidelines, the information may require updating. EnviroSpec Ltd. will only update information in this report upon receiving written consent from the Manufacturer, Supplier or upon request from an operative organisation of one of the Building Environmental Rating Tools nominated herein. *It is the responsibility of the reader to check for regular updates.*





Rating Tool	Credit / category	Points available	Requirements	Contribution symbol	Contribution Potential	Details of compliance
	Credit 13	2	 This credit rewards the use of low VOC and low formaldehyde interior products and finishes that safeguard occupant health through the reduction in internal air pollutant levels. 1 point is available where at least 95% of all internally applied paints, adhesives, sealants and carpets meet stipulated 'Total VOC Limits', or, where no paints, adhesives, sealants or carpets are used in the building. 1 point is available where at least 95% of all engineered wood products meet stipulated formaldehyde limits or no new engineered wood products are used in the building. 	*	1 point	The nominated products demonstrate compliance with low VOC emissions via either GUT or AgBB accreditation. These are nominated as suitable VOC standards within Environmental Choice NZ, which is an approved ecolabel. <u>Note</u> : achieving 1 point here is dependent on the remaining products in the category also being compliant.
Green Star Design & As Built NZ (V1)	Credit 20	3	This credit rewards projects that achieve a reduced environmental impact in the sourcing of steel, timber and PVC. Steel - 1 point is available where 95% of the building's steel (by mass) is sourced from a Responsible Steel Maker (manufacturer); and For steel framed buildings - at least 60% of the fabricated structural steelwork is supplied by a responsible steel fabricator/steel contractor. For concrete framed buildings - at least 60% (by mass) of all reinforcing bar and mesh is produced using energy- reducing processed in its manufacture holds Environmental Choice EC-41-15 certification. Timber - 1 point is available where at least 95% (by cost) of all timber used in the building and construction works is either certified by a recognised forest certification scheme, or is from a reused source. PVC - 1 point is available where 90% (by cost) of all permanent formwork, pipes, flooring, blinds and cables in a project are either PVC free, or meet the GBCA's Best Practice Guidelines for PVC.	*	1 point	The nominated flooring products are PVC free, which may help contribute up to 1 point provided the user also specifies other relevant items to ensure > 90% of products by cost comply.
	Credit 21	3	This credit rewards the selection of products that meet transparency and sustainability requirements. Points are awarded based on the Project Sustainability Value (PSV*) and comparing it with the Project Contract Value (PCV). <u>Benchmarks are:</u> - 1 point is awarded if PSV > 3% of PCV - 1 point is awarded if PSV > 6% of PCV - 1 point is awarded if PSV > 9% of PCV - 1 point is awarded if PSV > 9% of PCV - The Project Sustainability Value is the sum of all the compliant product's "Product Sustainability Value" (PSV). The PSV = Sustainability Factor x cost of product	*	Sustainability Factor (SF) = 1	The nominated products hold a valid product specific EPD , therefore the Product Sustainability Value (PSV) can be calculated as : "Product Cost x 0.75".





Rating Tool	Credit / category	Points available	Requirements	Contribution symbol	Contribution Potential	Details of compliance
	Credit 12	6	 This credit rewards the use of plants, as well as low VOC and low formaldehyde interior products and finishes that safeguard occupant health through the reduction in internal air pollutant levels. 2 points are available where at least 95% of all internally applied paints, adhesives, sealants and carpets meet stipulated 'Total VOC Limits', or, where no paints, adhesives, sealants or carpets are used in the building. 2 points are available where at least 95% of all engineered wood products meet stipulated formaldehyde limits or no new engineered wood products are used in the building. 2 points are available where indoor plants are distributed across the nominated area and are regularly maintained. 	*	2 points	The nominated products demonstrate compliance with low VOC emissions via either GUT or AgBB accreditation. These are nominated as suitable VOC standards within Environmental Choice NZ, which is an approved ecolabel. <u>Note</u> : achieving 2 points here is dependent on the remaining products in the category also being compliant.
Green Star Interiors NZ (V1)	Credit 20	2	This credit rewards projects that achieve a reduced environmental impact in the sourcing of timber and PVC. Timber - 1 point is available where at least 95% (by cost) of all timber used in the building and construction works is either certified by a recognised forest certification scheme, or is from a reused source. PVC - 1 point is available where 90% (by cost) of all permanent formwork, pipes, flooring, blinds and cables in a project are either PVC free, or meet the GBCA's Best Practice Guidelines for PVC.	*	1 point	The nominated flooring products are PVC free, which may help contribute up to 1 point provided the user also specifies other relevant items to ensure > 90% of products by cost comply.
	Credit 21	19	This credit rewards the selection of products that meet transparency and sustainability requirements. Points are awarded based on the Project Sustainability Value (PSV*) and comparing it with the Total Materials Cost (TMC). <u>Benchmarks are:</u> - 3.8 points are awarded if PSV > 20% of TMC - 7.2 points are awarded if PSV > 40% of TMC - 11.4 points are awarded if PSV > 60% of TMC - 15.2 points are awarded if PSV > 80% of TMC - 19 points are awarded if PSV = 100% of TMC - 19 points are awarded if PSV = 100% of TMC The Project Sustainability Value is the sum of all the compliant product's "Product Sustainability Value" (PSV). The PSV = Sustainability Factor x cost of product	*	Sustainability Factor (SF) = 1	The nominated products hold a valid product specific EPD , therefore the Product Sustainability Value (PSV) can be calculated as : "Product Cost x 0.75".
Green Star Performance NZ (V1)	Credit 21	3	This credit rewards the measurement and reduction of the environmental impacts of materials in building operations, maintenance and upgrades. <u>Benchmarks are:</u> - 1 point is awarded for developing a sustainable procurement framework - 1 point is awarded where the top 3 consumable materials are purchased in accordance with the procurement framework - 1 point is awarded where > 75% by cost of refurbishment and maintenance materials are purchased in accordance with the procurement framework, or 0.5 points if > 50% by cost comply. <u>Refurbishment materials</u> - This includes at a minimum : - Paints adhesives, sealants and carpets (to comply with Green Star V3 "Low emitting materials"), - Concrete (to comply with Green Star V3 "Concrete and Aggregate"), - Steel (to comply with Green Star V3 "Steel"). * Note: This credit can, if desired, be extended to include doors, wall finishes and paneling, wall and roof insulation, carpet, floor tiles, ceiling tiles, light fixtures and any other building component owned by the building owner (e.g. roof replacement, built in furniture and joinery, etc) This only applies if the refurbishment work is > \$5/m2, otherwise the credit is deemed N/A	•	1 point	This flooring product holds a valid GUT and AgBB rating, which has been approved with equivalency to demonstrate compliance with this feature, therefore satisfying the credit criteria for low VOC emissions (contributing to 1 point). <u>Note</u> : achieving 0.5 or 1 point here is dependent on total % achieved when including the other refurbishment products purchased.





Rating Tool	Credit / category	Points available	Requirements	Contribution symbol	Contribution Potential	Details of compliance
	MAT-1	9 (all products combined)	This credit rewards the selection of eco-preferred and responsibly sourced materials. Floor coverings are one of thirteen possible construction types eligible for up to 1 merit each.	~	0.75 merits (out of 1 merit available for floor coverings)	The nominated products hold a valid product specific EPD contributing to 0.75 merits.
Homestar (V2 and V3)	MAT-2	3 (all products combined)	This credit rewards the use of low VOC and low formaldehyde interior products and finishes. This product is eligible for 0.75 points out of 3.	~	0.75 points (out of 0.75 points available for floor coverings)	The nominated products demonstrate compliance with low VOC emissions via either GUT or AgBB accreditation. These are nominated as suitable VOC standards within Environmental Choice NZ, which is an approved ecolabel.
	MAT-1	10	This credit rewards the use of eco-preferred and responsibly sourced materials. Flooring products are one of thirteen possible material categories eligible for 2 points each.	~	1.5 points (out of 2 points available for floor coverings)	The nominated products hold a valid product specific EPD contributing to 1.5 points
Homestar V4	MAT-2	4	This credit rewards the use of low VOC and low formaldehyde interior products and finishes. Floor coverings are one of four material categories eligible for 1 point each.	*	0.75 points (out of 1 point available for flooring)	The nominated products demonstrate compliance with low VOC emissions via either GUT or AgBB accreditation. These are nominated as suitable VOC standards within Environmental Choice NZ, which is an approved ecolabel.
WELL Building Standard® V1	Feature 04	Pass/Fail	Any newly installed items from the below product groups must meet prescribed low emissions criteria and/or equivalencies. PART 1: Interior Paints and Coatings PART 2: Interior Adhesives and Sealants PART 3: Flooring PART 4: Insulation (excluding duct insulation) PART 5: Furniture and Furnishings For detailed compliance criteria and acceptable equivalencies please refer to WELL V1 Standard	~	Pass	The nominated products demonstrate compliance with low VOC emissions via either GUT or AgBB accreditation, which are nominated as acceptable equivalencies in WELL for this feature.
WELL Building Standard® V2	Feature X11	3	 PART 1: Furniture and Furnishings 1 point is available if >50% by cost of newly installed furniture and furnishings meet VOC emission thresholds. 2 points are available if >90% by cost of newly installed furniture and furnishings meet VOC emission thresholds. PART 2: Flooring and Insulation 1 point is available if all newly installed flooring and thermal and acoustic insulation (excluding duct insulation) inside the building meet the following VOC emission thresholds. For detailed compliance criteria and acceptable equivalencies please refer to WELL V2 Standard 	~	Pass	The nominated products demonstrate compliance with low VOC emissions via either GUT or AgBB accreditation, which are nominated as acceptable equivalencies in WELL for this feature.





LEGACY GREEN STAR NZ TOOLS

Tool	Credit category	Points available	Requirements	Contribution symbol	Contribution Potential	Details of compliance
Green Star NZ Office V3.0 + Education V3.1 + Industrial V3.0 + Interiors V3	MAT-3	5	This credit rewards up to 5 points in total. CRITERIA A • Up to 3 points are allocated for the use of Environmentally preferable products (including Applied coatings, Insulation, Flooring, Ceilings, Internal walls and partitions). Each product type is worth up to 1 point. <u>Benchmarks are:</u> - 0.5 points are awarded if > 50% of a selected product type complies - 1 point is awarded if > 90% of a selected product type complies. CRITERIA B Up to 2 further points are allocated if "common uses of PVC" (including flooring and resilient wall coverings, pipes, wires and blinds) meet the GBCA Best Practice Guidelines or are PVC-free. 1 point is awarded if > 90% by cost complies This credit rewards up to 5 points in total.	•	Criteria A 0.75 points Criteria B 2 points	CRITERIA A. The nominated products hold a valid product specific EPD, contributing to 0.75 points (unweighted in the calculator.) <u>Note:</u> the remaining points in criteria A are achieved if the other product types also comply. CRITERIA B The nominated flooring products are PVC free , which may help contribute up to 2 points provided the user also specifies compliant pipes, wires, blinds and resilient wall coverings, ensuring overall > 90% of products by cost comply
Green Star NZ Office V3.0 + Education V3.1 + Industrial V3.0	MAT-4	5	 4 points are allocated for the use of low VOC and low formaldehyde emitting products (including Applied coatings, Adhesives & Sealants, Flooring, Ceilings, Internal walls & partitions) – Each product type is worth up to 1 point. Benchmarks are: 0.5 points are awarded if > 50% of a selected product type complies 1 point is awarded if > 90% of a selected product type complies. 1 point is allocated for the use of low formaldehyde emitting engineered wood products (exposed or concealed applications) 90% complies. 	*	1 point	The nominated products demonstrate compliance with low VOC emissions via either GUT or AgBB accreditation. These are nominated as suitable VOC standards within Environmental Choice NZ, which is an approved ecolabel.
Green Star NZ Interiors V3	MAT-4	6	 This credit rewards up to 6 points in total. 5 points are allocated for the use of low VOC and low formaldehyde emitting products (including Applied coatings, Adhesives & Sealants, Flooring, Ceilings, Internal walls & partitions + Fitout items) – Each product type is worth up to 1 point. Benchmarks are: 0.5 points are awarded if > 50% of a selected product type complies 1 point is awarded if > 90% of a selected product type complies. 1 point is allocated for the use of low formaldehyde emitting engineered wood products (exposed or concealed applications) 90% complies. 	*	1 point	The nominated products demonstrate compliance with low VOC emissions via either GUT or AgBB accreditation. These are nominated as suitable VOC standards within Environmental Choice NZ, which is an approved ecolabel.